

## **ANNEX A**

# InFat™<sub>3070</sub>

*Certificate of Analysis for:*

Lot No.:8126077

Lot No.:8144896

Lot No.:8144898

Lot No.:8149146

Lot No.:8150671

Lot No.:8151590

Lot No.:8151591

Lot No.:8151592

Lot No.:8151593

Lot No.:8151594

Lot No.:8151595

Lot No.:8158024

Lot No.:8185523

Lot No.:8185524

Lot No.:8191411

Lot No.:8191412

Lot No.:8196580

Lot No.:8203388

Lot No.:8219798



Enzymotec  
Delivering Lipids

InFat™<sub>3070</sub>

**InFat™<sub>3070</sub>**

*Certificate of analysis*

**Lot No.: 8126077**

**Fatty acids composition (in % of total fatty acids):**

Fatty acid	Specifications	Result
Palmitic acid	25-42	29.2
Oleic acid	42-60	55.2
Linoleic acid	6-17	10.8
Stearic acid	1-6	2.3

**Palmitic acid content at sn-2 position (in % of total PA):**

Fatty acid	Specifications	Result
Palmitic acid	62-70	62

**Typical Analytical data:**

Parameter	Specifications	Result
Peroxide value (meq/Kg)	Max. 3	<0.1
Acid Value (mg KOH/g)	Max. 0.3	0.13
Benzopyrene (ppb)	Max. 2	2



Enzymotec  
Delivering Lipids

InFat<sup>TM</sup><sub>3070</sub>

**Physical properties:**

Parameter	Specifications	Result
Consistency (60°C)	Clear liquid	Conforms
Consistency (25°C)	Turbid liquid to paste	Conforms

**Storage & Handling:**


**InFat3070** should be kept in sealed containers, avoiding exposure to light and moisture, and stored below 25°C.

**InFat3070** is stabilized using antioxidant systems suitable for use in infant formula.

**Date of manufacture:** December 06, 2006

**Expiration date:** December 06, 2007

**Confirmed by:** Gai Ben-Dror

**Signature:** 



Enzymotec  
Delivering Lipids

InFat<sup>TM</sup><sub>3070</sub>

**InFat<sup>TM</sup><sub>3070</sub>**

*Certificate of analysis*

**Lot No.: 8144896**

**Fatty acids composition (in % of total fatty acids):**

Fatty acid	Specifications	Result
Palmitic acid	25-42	28.4
Oleic acid	42-60	57.3
Linoleic acid	6-17	9.1
Stearic acid	1-6	2.5

**Palmitic acid content at sn-2 position (in % of total PA):**

Fatty acid	Specifications	Result
Palmitic acid	62-70	65

**Typical Analytical data:**

Parameter	Specifications	Result
Peroxide value (meq/Kg)	Max. 3	<0.1
Acid Value (mg KOH/g)	Max. 0.3	0.1
Benzopyrene (ppb)	Max. 2	2



**Physical properties:**

Parameter	Specifications	Result
Consistency (60°C)	Clear liquid	Conforms
Consistency (25°C)	Turbid liquid to paste	Conforms

**Storage & Handling:**


**InFat3070** should be kept in sealed containers, avoiding exposure to light and moisture, and stored below 25°C.

**InFat3070** is stabilized using antioxidant systems suitable for use in infant formula.

**Date of manufacture:** April 25, 2007

**Expiration date:** April 25, 2008

**Confirmed by:** Gai Ben-Dror

**Signature:** 



Enzymotec  
Delivering Lipids

InFat<sup>TM</sup><sub>3070</sub>

**InFat<sup>TM</sup><sub>3070</sub>**

*Certificate of analysis*

**Lot No.: 8144898**

**Fatty acids composition (in % of total fatty acids):**

Fatty acid	Specifications	Result
Palmitic acid	25-42	29.7
Oleic acid	42-60	55.6
Linoleic acid	6-17	9.5
Stearic acid	1-6	2.4

**Palmitic acid content at sn-2 position (in % of total PA):**

Fatty acid	Specifications	Result
Palmitic acid	62-70	63

**Typical Analytical data:**

Parameter	Specifications	Result
Peroxide value (meq/Kg)	Max. 3	<0.1
Acid Value (mg KOH/g)	Max. 0.3	0.15
Benzyopyrene (ppb)	Max. 2	<2



Enzymotec  
Delivering Lipids

InFat<sup>18</sup><sub>3070</sub>

**Physical properties:**

Parameter	Specifications	Result
Consistency (60°C)	Clear liquid	Conforms
Consistency (25°C)	Turbid liquid to paste	Conforms

**Storage & Handling:**


**InFat3070** should be kept in sealed containers, avoiding exposure to light and moisture, and stored below 25°C.

**InFat3070** is stabilized using antioxidant systems suitable for use in infant formula.

**Date of manufacture:** May 09, 2007

**Expiration date:** May 09, 2008

**Confirmed by:** Gai Ben-Dror

**Signature:** 





## InFat<sup>TM</sup><sub>3070</sub>

### *Certificate of analysis*

**Lot No.: 8149146**

**Fatty acids composition (in % of total fatty acids):**

Fatty acid	Specifications	Result
Palmitic acid	25-42	
Oleic acid	42-60	
Linoleic acid	6-17	
Stearic acid	1-6	

**Palmitic acid content at sn-2 position (in % of total PA):**

Fatty acid	Specifications	Result
Palmitic acid	62-70	

**Typical Analytical data:**

Parameter	Specifications	Result
Peroxide value (meq/Kg)	Max. 3	
Acid Value (mg KOH/g)	Max. 0.3	
Benzopyrene (ppb)	Max. 2	



**Physical properties:**

Parameter	Specifications	Result
Consistency (60°C)	Clear liquid	Conforms
Consistency (25°C)	Turbid liquid to paste	Conforms


**Storage & Handling:**

**InFat3070** should be kept in sealed containers, avoiding exposure to light and moisture, and stored below 25°C.  
**InFat3070** is stabilized using antioxidant systems suitable for use in infant formula.

**Date of manufacture:** May 23, 2007

**Expiration date:** May 23, 2008

**Confirmed by:** Gai Ben-Dror

**Signature:**  \_\_\_\_\_



## InFat<sup>TM</sup><sub>3070</sub>

### *Certificate of analysis*

**Lot No.: 8150671**

**Fatty acids composition (in % of total fatty acids):**

Fatty acid	Specifications	Result
Palmitic acid	25-42	28.5
Oleic acid	42-60	57.1
Linoleic acid	6-17	9.3
Stearic acid	1-6	2.4

**Palmitic acid content at sn-2 position (in % of total PA):**

Fatty acid	Specifications	Result
Palmitic acid	62-70	62

**Typical Analytical data:**

Parameter	Specifications	Result
Peroxide value (meq/Kg)	Max. 3	<0.1
Acid Value (mg KOH/g)	Max. 0.3	0.11
Benzopyrene (ppb)	Max. 2	<2



**Physical properties:**

Parameter	Specifications	Result
Consistency (60°C)	Clear liquid	Conforms
Consistency (25°C)	Turbid liquid to paste	Conforms

**Storage & Handling:**


**InFat3070** should be kept in sealed containers, avoiding exposure to light and moisture, and stored below 25°C.

**InFat3070** is stabilized using antioxidant systems suitable for use in infant formula.

**Date of manufacture:** May 30, 2007

**Expiration date:** May 30, 2008

**Confirmed by:** Gai Ben-Dror

**Signature:** 



## InFat<sup>TM</sup><sub>3070</sub>

### *Certificate of analysis*

**Lot No.: 8151590**

**Fatty acids composition (in % of total fatty acids):**

Fatty acid	Specifications	Result
Palmitic acid	25-42	28.9
Oleic acid	42-60	55.2
Linoleic acid	6-17	10.1
Stearic acid	1-6	2.4

**Palmitic acid content at sn-2 position (in % of total PA):**

Fatty acid	Specifications	Result
Palmitic acid	62-70	62

**Typical Analytical data:**

Parameter	Specifications	Result
Peroxide value (meq/Kg)	Max. 3	<0.1
Acid Value (mg KOH/g)	Max. 0.3	0.06
Benzopyrene (ppb)	Max. 2	<2



**Physical properties:**

Parameter	Specifications	Result
Consistency (60°C)	Clear liquid	Conforms
Consistency (25°C)	Turbid liquid to paste	Conforms

**Storage & Handling:**


**InFat3070** should be kept in sealed containers, avoiding exposure to light and moisture, and stored below 25°C.

**InFat3070** is stabilized using antioxidant systems suitable for use in infant formula.

**Date of manufacture: June 21, 2007**

**Expiration date: June 21, 2008**

**Confirmed by: Gai Ben-Dror**

**Signature:** 



## InFat<sup>TM</sup><sub>3070</sub>

### *Certificate of analysis*

**Lot No.: 8151591**

**Fatty acids composition (in % of total fatty acids):**

Fatty acid	Specifications	Result
Palmitic acid	25-42	30.3
Oleic acid	42-60	55.5
Linoleic acid	6-17	9.1
Stearic acid	1-6	2.3

**Palmitic acid content at sn-2 position (in % of total PA):**

Fatty acid	Specifications	Result
Palmitic acid	62-70	62

**Typical Analytical data:**

Parameter	Specifications	Result
Peroxide value (mcq/Kg)	Max. 3	0.1
Acid Value (mg KOH/g)	Max. 0.3	0.04
Benzopyrene (ppb)	Max. 2	<2



**Physical properties:**

Parameter	Specifications	Result
Consistency (60°C)	Clear liquid	Conforms
Consistency (25°C)	Turbid liquid to paste	Conforms

**Storage & Handling:**


**InFat3070** should be kept in sealed containers, avoiding exposure to light and moisture, and stored below 25°C.

**InFat3070** is stabilized using antioxidant systems suitable for use in infant formula.

**Date of manufacture: June 28, 2007**

**Expiration date: June 28, 2008**

**Confirmed by: Gai Ben-Dror**

Signature: 





## InFat™<sub>3070</sub>

### *Certificate of analysis*

**Lot No.: 8151592**

**Fatty acids composition (in % of total fatty acids):**

Fatty acid	Specifications	Result
Palmitic acid	25-42	29.5
Oleic acid	42-60	56.2
Linoleic acid	6-17	9.6
Stearic acid	1-6	2.4

**Palmitic acid content at sn-2 position (in % of total PA):**

Fatty acid	Specifications	Result
Palmitic acid	62-70	63

**Typical Analytical data:**

Parameter	Specifications	Result
Peroxide value (meq/Kg)	Max. 3	0.1
Acid Value (mg KOH/g)	Max. 0.3	0.23
Benzopyrene (ppb)	Max. 2	<2



**Physical properties:**

Parameter	Specifications	Result
Consistency (60°C)	Clear liquid	Conforms
Consistency (25°C)	Turbid liquid to paste	Conforms


**Storage & Handling:**

**InFat3070** should be kept in sealed containers, avoiding exposure to light and moisture, and stored below 25°C.  
**InFat3070** is stabilized using antioxidant systems suitable for use in infant formula.

**Date of manufacture:** July 05, 2007

**Expiration date:** July 05, 2008

**Confirmed by:** Gai Ben-Dror

**Signature:** 



## InFat™<sub>3070</sub>

### *Certificate of analysis*

**Lot No.: 8151593**

**Fatty acids composition (in % of total fatty acids):**

Fatty acid	Specifications	Result
Palmitic acid	25-42	29.5
Oleic acid	42-60	56.2
Linoleic acid	6-17	9.6
Stearic acid	1-6	2.4

**Palmitic acid content at sn-2 position (in % of total PA):**

Fatty acid	Specifications	Result
Palmitic acid	62-70	63

**Typical Analytical data:**

Parameter	Specifications	Result
Peroxide value (meq/Kg)	Max. 3	0.1
Acid Value (mg KOH/g)	Max. 0.3	0.23
Benzopyrene (ppb)	Max. 2	<2



**Physical properties:**

Parameter	Specifications	Result
Consistency (60°C)	Clear liquid	Conforms
Consistency (25°C)	Turbid liquid to paste	Conforms

**Storage & Handling:**

**InFat3070** should be kept in sealed containers, avoiding exposure to light and moisture, and stored below 25°C.  
**InFat3070** is stabilized using antioxidant systems suitable for use in infant formula.

**Date of manufacture:** July 13, 2007

**Expiration date:** July 13, 2008

**Confirmed by:** Gai Ben-Dror

**Signature:**  \_\_\_\_\_



## InFat<sup>TM</sup><sub>3070</sub>

### *Certificate of analysis*

**Lot No.: 8151594**

**Fatty acids composition (in % of total fatty acids):**

Fatty acid	Specifications	Result
Palmitic acid	25-42	30.5
Oleic acid	42-60	55
Linoleic acid	6-17	9.7
Stearic acid	1-6	2.4

**Palmitic acid content at sn-2 position (in % of total PA):**

Fatty acid	Specifications	Result
Palmitic acid	62-70	62

**Typical Analytical data:**

Parameter	Specifications	Result
Peroxide value (meq/Kg)	Max. 3	0.1
Acid Value (mg KOH/g)	Max. 0.3	0.2
Benzopyrene (ppb)	Max. 2	<2



**Physical properties:**

Parameter	Specifications	Result
Consistency (60°C)	Clear liquid	Conforms
Consistency (25°C)	Turbid liquid to paste	Conforms


**Storage & Handling:**

**InFat3070** should be kept in sealed containers, avoiding exposure to light and moisture, and stored below 25°C.  
**InFat3070** is stabilized using antioxidant systems suitable for use in infant formula.

**Date of manufacture:** July 19, 2007

**Expiration date:** July 19, 2008

**Confirmed by:** Gai Ben-Dror

**Signature:** 



## InFat<sup>TM</sup><sub>3070</sub>

### *Certificate of analysis*

**Lot No.: 8151595**

**Fatty acids composition (in % of total fatty acids):**

Fatty acid	Specifications	Result
Palmitic acid	25-42	30.4
Oleic acid	42-60	54.6
Linoleic acid	6-17	9.7
Stearic acid	1-6	2.5

**Palmitic acid content at sn-2 position (in % of total PA):**

Fatty acid	Specifications	Result
Palmitic acid	62-70	63

**Typical Analytical data:**

Parameter	Specifications	Result
Peroxide value (meq/Kg)	Max. 3	<0.1
Acid Value (mg KOH/g)	Max. 0.3	0.2
Benzopyrene (ppb)	Max. 2	<2



**Physical properties:**

Parameter	Specifications	Result
Consistency (60°C)	Clear liquid	Conforms
Consistency (25°C)	Turbid liquid to paste	Conforms

**Storage & Handling:**


**InFat3070** should be kept in sealed containers, avoiding exposure to light and moisture, and stored below 25°C.

**InFat3070** is stabilized using antioxidant systems suitable for use in infant formula.

**Date of manufacture:** July 26, 2007

**Expiration date:** July 26, 2008

**Confirmed by:** Gai Ben-Dror

**Signature:** 





## InFat<sup>TM</sup><sub>3070</sub>

### *Certificate of analysis*

**Lot No.: 8158024**

**Fatty acids composition (in % of total fatty acids):**

Fatty acid	Specifications	Result
Palmitic acid	25-42	30.1
Oleic acid	42-60	54.8
Linoleic acid	6-17	10
Stearic acid	1-6	2.4

**Palmitic acid content at sn-2 position (in % of total PA):**

Fatty acid	Specifications	Result
Palmitic acid	62-70	63

**Typical Analytical data:**

Parameter	Specifications	Result
Peroxide value (meq/Kg)	Max. 3	<0.1
Acid Value (mg KOH/g)	Max. 0.3	0.08
Benzopyrene (ppb)	Max. 2	<2



**Physical properties:**

Parameter	Specifications	Result
Consistency (60°C)	Clear liquid	Conforms
Consistency (25°C)	Turbid liquid to paste	Conforms

**Storage & Handling:**


**InFat3070** should be kept in sealed containers, avoiding exposure to light and moisture, and stored below 25°C.

**InFat3070** is stabilized using antioxidant systems suitable for use in infant formula.

**Date of manufacture:** July 31, 2007

**Expiration date:** July 31, 2008

**Confirmed by:** Gai Ben-Dror

**Signature:** 



## InFat<sup>TM</sup><sub>3070</sub>

### *Certificate of analysis*

**Lot No.: 8185523**

**Fatty acids composition (in % of total fatty acids):**

Fatty acid	Specifications	Result
Palmitic acid	25-42	29.4
Oleic acid	42-60	55.4
Linoleic acid	6-17	10.4
Stearic acid	1-6	3

**Palmitic acid content at sn-2 position (in % of total PA):**

Fatty acid	Specifications	Result
Palmitic acid	62-70	63

**Typical Analytical data:**

Parameter	Specifications	Result
Peroxide value (meq/Kg)	Max. 3	<0.1
Acid Value (mg KOH/g)	Max. 0.3	0.05
Benzopyrene (ppb)	Max. 2	<2



**Physical properties:**

Parameter	Specifications	Result
Consistency (60°C)	Clear liquid	Conforms
Consistency (25°C)	Turbid liquid to paste	Conforms


**Storage & Handling:**

**InFat3070** should be kept in sealed containers, avoiding exposure to light and moisture, and stored below 25°C.  
**InFat3070** is stabilized using antioxidant systems suitable for use in infant formula.

**Date of manufacture: March 27, 2008**

**Expiration date: March 27, 2009**

**Confirmed by: Gai Ben-Dror**

**Signature:** 



## InFat<sup>TM</sup><sub>3070</sub>

### *Certificate of analysis*

**Lot No.: 8185524**

**Fatty acids composition (in % of total fatty acids):**

Fatty acid	Specifications	Result
Palmitic acid	25-42	29
Oleic acid	42-60	56
Linoleic acid	6-17	10.3
Stearic acid	1-6	2.8

**Palmitic acid content at sn-2 position (in % of total PA):**

Fatty acid	Specifications	Result
Palmitic acid	62-70	65

**Typical Analytical data:**

Parameter	Specifications	Result
Peroxide value (meq/Kg)	Max. 3	<0.1
Acid Value (mg KOH/g)	Max. 0.3	0.17
Benzopyrene (ppb)	Max. 2	<2



**Physical properties:**

Parameter	Specifications	Result
Consistency (60°C)	Clear liquid	Conforms
Consistency (25°C)	Turbid liquid to paste	Conforms

**Storage & Handling:**


**InFat3070** should be kept in sealed containers, avoiding exposure to light and moisture, and stored below 25°C.

**InFat3070** is stabilized using antioxidant systems suitable for use in infant formula.

**Date of manufacture: March 27, 2008**

**Expiration date: March 27, 2009**

**Confirmed by: Gai Ben-Dror**

**Signature:** 



## InFat<sup>TM</sup><sub>3070</sub>

### *Certificate of analysis*

**Lot No.: 8191411**

**Fatty acids composition (in % of total fatty acids):**

Fatty acid	Specifications	Result
Palmitic acid	25-42	27.9
Oleic acid	42-60	56.7
Linoleic acid	6-17	11.1
Stearic acid	1-6	2.4

**Palmitic acid content at sn-2 position (in % of total PA):**

Fatty acid	Specifications	Result
Palmitic acid	62-70	62

**Typical Analytical data:**

Parameter	Specifications	Result
Peroxide value (meq/Kg)	Max. 3	<0.1
Acid Value (mg KOH/g)	Max. 0.3	0.07
Benzopyrene (ppb)	Max. 2	<2



**Physical properties:**

Parameter	Specifications	Result
Consistency (60°C)	Clear liquid	Conforms
Consistency (25°C)	Turbid liquid to paste	Conforms

**Storage & Handling:**


**InFat3070** should be kept in sealed containers, avoiding exposure to light and moisture, and stored below 25°C.

**InFat3070** is stabilized using antioxidant systems suitable for use in infant formula.

**Date of manufacture:** May 15, 2008

**Expiration date:** May 15, 2009

**Confirmed by:** Gai Ben-Dror

**Signature:** 





## InFat<sup>TM</sup><sub>3070</sub>

### *Certificate of analysis*

**Lot No.: 8191412**

**Fatty acids composition (in % of total fatty acids):**

Fatty acid	Specifications	Result
Palmitic acid	25-42	28.2
Oleic acid	42-60	56.6
Linoleic acid	6-17	11
Stearic acid	1-6	2.4

**Palmitic acid content at sn-2 position (in % of total PA):**

Fatty acid	Specifications	Result
Palmitic acid	62-70	62

**Typical Analytical data:**

Parameter	Specifications	Result
Peroxide value (meq/Kg)	Max. 3	<0.1
Acid Value (mg KOH/g)	Max. 0.3	0.1
Benzopyrene (ppb)	Max. 2	<2



**Physical properties:**

Parameter	Specifications	Result
Consistency (60°C)	Clear liquid	Conforms
Consistency (25°C)	Turbid liquid to paste	Conforms


**Storage & Handling:**

**InFat3070** should be kept in sealed containers, avoiding exposure to light and moisture, and stored below 25°C.  
**InFat3070** is stabilized using antioxidant systems suitable for use in infant formula.

**Date of manufacture: May 22, 2008**

**Expiration date: May 22, 2009**

**Confirmed by: Gai Ben-Dror**

**Signature:** 



## InFat<sup>TM</sup><sub>3070</sub>

### *Certificate of analysis*

**Lot No.: 8196580**

**Fatty acids composition (in % of total fatty acids):**

Fatty acid	Specifications	Result
Palmitic acid	25-42	27.6
Oleic acid	42-60	55.4
Linoleic acid	6-17	9.6
Stearic acid	1-6	2.6

**Palmitic acid content at sn-2 position (in % of total PA):**

Fatty acid	Specifications	Result
Palmitic acid	62-70	66

**Typical Analytical data:**

Parameter	Specifications	Result
Peroxide value (meq/Kg)	Max. 3	<0.1
Acid Value (mg KOH/g)	Max. 0.3	0.11
Benzopyrene (ppb)	Max. 2	<2



**Physical properties:**

Parameter	Specifications	Result
Consistency (60°C)	Clear liquid	Conforms
Consistency (25°C)	Turbid liquid to paste	Conforms


**Storage & Handling:**

**InFat3070** should be kept in sealed containers, avoiding exposure to light and moisture, and stored below 25°C.  
**InFat3070** is stabilized using antioxidant systems suitable for use in infant formula.

**Date of manufacture: June 13, 2008**

**Expiration date: June 13, 2009**

**Confirmed by: Gai Ben-Dror**

**Signature:** 



## InFat<sup>TM</sup><sub>3070</sub>

### *Certificate of analysis*

**Lot No.: 8203388**

**Fatty acids composition (in % of total fatty acids):**

Fatty acid	Specifications	Result
Palmitic acid	25-42	28
Oleic acid	42-60	57.3
Linoleic acid	6-17	9.6
Stearic acid	1-6	2.6

**Palmitic acid content at sn-2 position (in % of total PA):**

Fatty acid	Specifications	Result
Palmitic acid	62-70	63

**Typical Analytical data:**

Parameter	Specifications	Result
Peroxide value (meq/Kg)	Max. 3	0.1
Acid Value (mg KOH/g)	Max. 0.3	0.09
Benzopyrene (ppb)	Max. 2	conforms



**Physical properties:**

Parameter	Specifications	Result
Consistency (60°C)	Clear liquid	Conforms
Consistency (25°C)	Turbid liquid to paste	Conforms

**Storage & Handling:**


**InFat3070** should be kept in sealed containers, avoiding exposure to light and moisture, and stored below 25°C.

**InFat3070** is stabilized using antioxidant systems suitable for use in infant formula.

**Date of manufacture: July 29, 2008**

**Expiration date: July 29, 2009**

**Confirmed by: Gai Ben-Dror**

**Signature:**  \_\_\_\_\_



Enzymotec  
Delivering Lipids

InFat<sup>TM</sup><sub>3070</sub>

**InFat<sup>TM</sup><sub>3070</sub>**

*Certificate of analysis*

**Lot No.: 8219798**

**Fatty acids composition (in % of total fatty acids):**

Fatty acid	Specifications	Result
Palmitic acid	32-42	38.4
Oleic acid	42-60	48
Linoleic acid	6-17	7.7
Stearic acid	1-7	4.5

**Palmitic acid content at sn-2 position:**

Fatty acid	Specifications	Result
As % of total fatty acids	Min. 17	21
As % of total palmitic acid	Min. 52	55

**Typical Analytical data:**

Parameter	Specifications	Result
Trans fatty acids (%)	Max 2	1
Peroxide value (meq/Kg)	Max. 3	<0.1
Acid Value (mg KOH/g)	Max. 0.3	0.05
Benzopyrene (ppb)	Max. 2	<2



Enzymotec  
Delivering Lipids

 $\text{Inf-at}^{24}_{2270}$ 

**Physical properties:**

Parameter	Specifications	Result
Consistency (60°C)	Clear liquid	Confirms
Consistency (25°C)	Turbid liquid to paste	Confirms

**Storage & Handling:**

**InFat3070** should be kept in sealed containers, avoiding exposure to light and moisture, and stored below 25°C.

**InFat3070** is stabilized using antioxidant systems suitable for use in infant formula.

**Date of manufacture: December 03, 2008**

**Expiration date: December 03, 2009**

**Confirmed by: Gai Ben-Dror**

Signature: 1/12